

SUMMARY

TOWN OF BIG LAKE MAILBOX POST INSTALLATION ORDINANCE # 2009-1

THIS ORDINANCE SUPERCEDES AND REPLACES ORDINANCE #2001-2

The Board of Supervisors of the Town of Big Lake ordains that;

1. Any person installing or replacing a mailbox and post shall place such at a vertical height of 42-48 inches above street level to the bottom edge of the mailbox and at a horizontal length of 36 inches from the curb or edge of road to the vertical post. No obstruction, support, or brace shall be placed in the area between the two posts.
2. A mailbox installation or support must meet Federal and State regulations for breakaway standards. The maximum size allowable of a wooden post is 4" (inches) by 4" (inches). The maximum size allowable of a steel post is 2" (inches) in diameter.
3. No mailbox shall be placed in a cul-de-sac. Rather mailboxes will be placed before or after the entrance of a cul-de-sac.
4. Installer is responsible for calling for locates prior to digging or installation of post.
5. Any person, firm, or corporation who violates any provision of this ordinance shall be guilty of a misdemeanor.
6. This ordinance shall take effect upon its passage and publication.

Passed by the Town Board of Supervisors of Big Lake Township on this 23rd day of September, 2009.

(West Sherburne Tribune –January 16, 2010)